FUYINGMEN / JINAN, CHINA

ELECTRIC CARGO TRICYCLES

2026 ENGLISH PRODUCT CATALOGUE

- Cargo transport
- Farm and rural work
- Last-mile delivery
- Utility and special-purpose vehicles

WhatsApp: +86 155 8886 9611 | 15588869611@163.com

ABOUT FUYINGMEN

Vehicle sourcing built around the actual job

Product range

- Electric cargo, dump, enclosed delivery and utility tricycles
- Configuration confirmed against load, route and destination
- Export packing, spare-parts and quotation support
- Factory location: Jinan, China

SCAN TO WHATSAPP

+86 155 8886 9611

15588869611@163.com

FUYINGMEN / 2026

COMPACT CARGO SERIES

Agile vehicles for daily material movement



Fuyun 1.0 m

- Vehicle: 2400 x 800 x 1070 mm
- Cargo box: 1000 x 800 x 300 mm
- Vehicle mass: 105 kg
- Drive: 48 V / 650 W Fuyingmen motor
- Controller: Fuyingmen controller
- Suspension: 31# hydraulic
- Tyres: front 300-12 / rear 300-12
- Standard: LED headlamp; LCD instrument; integrated tail lamp; hill-hold; manual high/low gear; electric high/mid/low speed.

Jinbao 1.1 m

- Vehicle: 2460 x 870 x 1070 mm
- Cargo box: 1100 x 870 x 300 mm
- Vehicle mass: 115 kg
- Drive: 48 V / 650 W Fuyingmen motor
- Controller: 12-tube
- Suspension: 31# hydraulic
- Tyres: front 300-12 / rear 300-12
- Standard: LED headlamp; LCD instrument; integrated tail lamp; hill-hold; manual high/low gear; electric high/mid/low speed.

1.25 m Multi-purpose Tricycle

- 1.35 m / 1.5 m options shown in source catalogue
- Vehicle: 2580 x 1070 x 1100 mm
- Cargo box: 1250 x 950 x 350 mm
- Vehicle mass: 190 kg
- Drive: 60 V / 1000 W PMSM differential motor
- Controller: large 18-tube dual-row
- Suspension: 43# hydraulic
- Tyres: front 300-12 / rear 350-12
- Standard: LED headlamp; LCD instrument; integrated tail lamp; hill-hold; manual high/low gear; electric high/mid/low speed.

SCAN TO WHATSAPP

+86 155 8886 9611

15588869611@163.com

Source catalogue values translated to English. Confirm final configuration before ordering.

FUYINGMEN / 2026

JINBAO CARGO SERIES

Cargo-bed choices for local distribution



SCAN TO WHATSAPP

+86 155 8886 9611

15588869611@163.com

Jinbao 1.3 m

- Vehicle: 2750 x 970 x 1230 mm
- Cargo box: 1300 x 900 x 450 mm
- Vehicle mass: 150 kg
- Drive: 60 V / 650 W PMSM differential motor
- Controller: 15-tube dual-row
- Suspension: 31# hydraulic
- Tyres: front 300-12 / rear 350-12
- Standard: LED headlamp; LCD instrument; integrated tail lamp; hill-hold; manual high/low gear; electric high/mid/low speed.

Jinbao 1.5 m

- Vehicle: 3050 x 1070 x 1370 mm
- Cargo box: 1500 x 1000 x 450 mm
- Vehicle mass: 175 kg
- Drive: 60 V / 800 W PMSM differential motor
- Controller: 18-tube dual-row
- Suspension: 37# hydraulic
- Tyres: front 350-12 / rear 375-12
- Standard: LED headlamp; LCD instrument; integrated tail lamp; hill-hold; manual high/low gear; electric high/mid/low speed.

Jinbao 1.6 m

- Vehicle: 3150 x 1170 x 1370 mm
- Cargo box: 1600 x 1100 x 450 mm
- Vehicle mass: 190 kg
- Drive: 60 V / 1000 W PMSM differential motor
- Controller: 18-tube dual-row
- Suspension: 43# hydraulic with external spring
- Tyres: front 350-12 / rear 375-12
- Standard: LED headlamp; LCD instrument; integrated tail lamp; hill-hold; manual high/low gear; electric high/mid/low speed.

Source catalogue values translated to English. Confirm final configuration before ordering.

FUYINGMEN / 2026

LUBA CARGO SERIES

Standard platforms for farm and commercial work



Luba 1.3 m

- Vehicle: 2750 x 1030 x 1380 mm
- Cargo box: 1315 x 950 x 450 mm
- Vehicle mass: 180 kg
- Drive: 60 V / 800 W PMSM differential motor
- Controller: 18-tube dual-row
- Suspension: 37# hydraulic with external spring
- Tyres: front 350-12 / rear 375-12 steel-belted
- Standard: LED headlamp; LCD instrument; integrated tail lamp; hill-hold; manual high/low gear; electric high/mid/low speed.

Luba 1.5 m

- Vehicle: 3050 x 1070 x 1420 mm
- Cargo box: 1500 x 1000 x 450 mm
- Vehicle mass: 200 kg
- Drive: 60 V / 1000 W PMSM differential motor
- Controller: large 18-tube dual-row
- Suspension: 37# hydraulic with external spring
- Tyres: front 350-12 / rear 375-12 steel-belted
- Standard: LED headlamp; LCD instrument; integrated tail lamp; hill-hold; manual high/low gear; electric high/mid/low speed.

Luba 1.6 m

- Vehicle: 3120 x 1170 x 1440 mm
- Cargo box: 1610 x 1100 x 450 mm
- Vehicle mass: 210 kg
- Drive: 60 V / 1000 W PMSM differential motor
- Controller: large 18-tube dual-row
- Suspension: 43# hydraulic with external spring
- Tyres: front 350-12 / rear 375-12 steel-belted
- Standard: LED headlamp; LCD instrument; integrated tail lamp; hill-hold; manual high/low gear; electric high/mid/low speed.

SCAN TO WHATSAPP

+86 155 8886 9611

15588869611@163.com

Source catalogue values translated to English. Confirm final configuration before ordering.

FUYINGMEN / 2026

BADAO HEAVY-DUTY SERIES

Reinforced configurations for demanding work



Badao 1.6 m

- Vehicle: 3130 x 1170 x 1400 mm
- Cargo box: 1600 x 1100 x 450 mm
- Vehicle mass: 220 kg
- Drive: 60 V / 1200 W PMSM differential motor
- Controller: 24-tube dual-row
- Suspension: 43# hydraulic with external spring
- Tyres: front 375-12 / rear 400-12 steel-belted
- Standard: LED headlamp; LCD instrument; integrated tail lamp; hill-hold; manual high/low gear; electric high/mid/low speed.

Badao 1.8 m

- Vehicle: 3200 x 1270 x 1410 mm
- Cargo box: 1800 x 1200 x 450 mm
- Vehicle mass: 300 kg
- Drive: 60 V / 1500 W PMSM differential motor
- Controller: 30-tube dual-row
- Suspension: 43# hydraulic with external spring
- Tyres: front 400-12 / rear 450-12 steel-belted
- Standard: LED headlamp; LCD instrument; integrated tail lamp; hill-hold; manual high/low gear; electric high/mid/low speed.

Badao 2.0 m

- Vehicle: 3400 x 1420 x 1440 mm
- Cargo box: 2000 x 1350 x 450 mm
- Vehicle mass: 320 kg
- Drive: 60 V / 1500 W PMSM differential motor
- Controller: 30-tube dual-row
- Suspension: 43# hydraulic with external spring
- Tyres: front 400-12 / rear 450-12 steel-belted
- Standard: LED headlamp; LCD instrument; integrated tail lamp; hill-hold; manual high/low gear; electric high/mid/low speed.

SCAN TO WHATSAPP

+86 155 8886 9611

15588869611@163.com

Source catalogue values translated to English. Confirm final configuration before ordering.

FUYINGMEN / 2026

ELECTRIC DUMP SERIES

Tipper bodies for faster unloading



1.7 m Electric Dump Tricycle

- Vehicle: 3170 x 1170 x 1390 mm
- Cargo box: 1650 x 1100 x 450 mm
- Vehicle mass: 280 kg
- Drive: 60 V / 1200 W PMSM differential motor
- Controller: 24-tube dual-row
- Suspension: 43# hydraulic with external spring
- Tyres: front 375-12 / rear 400-12 steel-belted
- Standard: LED headlamp; LCD instrument; integrated tail lamp; hill-hold; manual high/low gear; electric high/mid/low speed.

1.8 m Electric Dump Tricycle

- Vehicle: 3360 x 1280 x 1430 mm
- Cargo box: 1800 x 1200 x 450 mm
- Vehicle mass: 325 kg
- Drive: 60 V / 1500 W PMSM differential motor
- Controller: 30-tube dual-row
- Suspension: 43# hydraulic with external spring
- Tyres: front 400-12 / rear 450-12 steel-belted
- Standard: LED headlamp; LCD instrument; integrated tail lamp; hill-hold; manual high/low gear; electric high/mid/low speed.

SCAN TO WHATSAPP

+86 155 8886 9611

15588869611@163.com

FUYINGMEN / 2026

ENCLOSED DELIVERY SERIES

Weather-protected cargo for local delivery



SCAN TO WHATSAPP

+86 155 8886 9611

15588869611@163.com

1.6 m Delivery Tricycle

- Vehicle: 3040 x 1140 x 1740 mm
- Cargo box: 1600 x 1000 x 1100 mm
- Vehicle mass: 265 kg
- Drive: 60 V / 1000 W PMSM differential motor
- Controller: large 18-tube dual-row
- Rear axle: full-floating
- Tyres: front 375-12 / rear 400-12 steel-belted
- Suspension: 43# hydraulic with external spring

1.8 m Delivery Tricycle

- Vehicle: 3340 x 1250 x 1860 mm
- Cargo box: 1800 x 1200 x 1200 mm
- Vehicle mass: 340 kg
- Drive: 60 V / 1500 W PMSM differential motor
- Controller: 30-tube dual-row
- Rear axle: full-floating
- Tyres: front 375-12 / rear 400-12 steel-belted
- Suspension: 43# hydraulic with external spring

Fully Enclosed Delivery Tricycle

- Vehicle: 3050 x 1070 x 1650 mm
- Cargo box: 1510 x 1010 x 1100 mm
- Drive: 60 V / 1000 W PMSM differential motor
- Controller: large 18-tube dual-row
- Rear axle: full-floating
- Tyres: front 350-12 / rear 375-12 steel-belted
- Suspension: semi-enclosed model type

Source catalogue values translated to English. Confirm final configuration before ordering.

FUYINGMEN / 2026

MULTI-PURPOSE SERIES

Configurable vehicles for mixed work



1.6 m Multi-purpose Tricycle

- Vehicle: 2980 x 1170 x 1100 mm
- Cargo box: 1600 x 1100 x 350 mm
- Vehicle mass: 250 kg
- Drive: 60 V / 1200 W PMSM differential motor
- Controller: 24-tube dual-row
- Suspension: 43# hydraulic with external spring
- Tyres: front 400-10 / rear 450-10
- Standard: LED headlamp; LCD instrument; integrated tail lamp; hill-hold; manual high/low gear; electric high/mid/low speed.

1.8 m Multi-purpose Tricycle

- Vehicle: 3120 x 1270 x 1160 mm
- Cargo box: 1800 x 1200 x 350 mm
- Vehicle mass: 270 kg
- Drive: 60 V / 1500 W PMSM differential motor
- Controller: 30-tube dual-row
- Suspension: 43# hydraulic with external spring
- Tyres: front 400-12 / rear 450-12
- Standard: LED headlamp; LCD instrument; integrated tail lamp; hill-hold; manual high/low gear; electric high/mid/low speed.

2.0 m Multi-purpose Tricycle

- Vehicle: 3320 x 1270 x 1160 mm
- Cargo box: 2000 x 1200 x 350 mm
- Vehicle mass: 285 kg
- Drive: 60 V / 1500 W PMSM differential motor
- Controller: 30-tube dual-row
- Suspension: 43# hydraulic with external spring
- Tyres: front 400-12 / rear 450-12
- Standard: LED headlamp; LCD instrument; integrated tail lamp; hill-hold; manual high/low gear; electric high/mid/low speed.

SCAN TO WHATSAPP

+86 155 8886 9611

15588869611@163.com

Source catalogue values translated to English. Confirm final configuration before ordering.

FUYINGMEN / 2026

COMPACT DUMP SERIES

Cargo movement with assisted unloading



1.8 m Compact Dump Tricycle

- Vehicle: 3330 x 1370 x 1450 mm
- Cargo box: 1800 x 1300 x 500 mm
- Vehicle mass: 395 kg
- Drive: 60 V / 1500 W PMSM differential motor
- Controller: 30-tube dual-row
- Suspension: 43# hydraulic with external spring
- Tyres: front 400-12 / rear 450-12 steel-belted
- Standard: LED headlamp; LCD instrument; integrated tail lamp; hill-hold; manual high/low gear; electric high/mid/low speed.

2.0 m Compact Dump Tricycle

- Vehicle: 3495 x 1370 x 1470 mm
- Cargo box: 2000 x 1300 x 500 mm
- Vehicle mass: 400 kg
- Drive: 72 V / 3000 W flat-wire motor
- Controller: intelligent controller
- Suspension: 50# Longbao with external spring
- Tyres: front 450-12 / rear 500-12 steel-belted
- Standard: LED headlamp; LCD instrument; integrated tail lamp; hill-hold; manual high/low gear; electric high/mid/low speed.

SCAN TO WHATSAPP

+86 155 8886 9611

15588869611@163.com

Source catalogue values translated to English. Confirm final configuration before ordering.

FUYINGMEN / 2026

SPECIAL-PURPOSE SERIES

Passenger, lifting and collection applications



SCAN TO WHATSAPP

+86 155 8886 9611

15588869611@163.com

Sightseeing Vehicle - Canopy

- Vehicle: 2900 x 1000 x 1950 mm
- Passenger capacity: 5
- Vehicle mass: 240 kg
- Drive: 60 V / 1000 W PMSM differential motor
- Controller: large 18-tube dual-row
- Suspension: 37# hydraulic with external spring
- Tyres: front 350-12 / rear 375-12 steel-belted

Sightseeing Vehicle - Open

- Vehicle: 2900 x 1000 x 1200 mm
- Passenger capacity: 5
- Vehicle mass: 200 kg
- Drive: 60 V / 1000 W PMSM differential motor
- Controller: 18-tube dual-row PMSM
- Suspension: 37# hydraulic with external spring
- Tyres: front 350-12 / rear 375-12 steel-belted

Electric Lifting Vehicle

- Vehicle: 2980 x 1080 mm
- Cargo platform: 1500 x 1000 mm
- Drive: 60 V / 1200 W PMSM differential motor
- Controller: 24-tube
- Rear axle: full-floating
- Tyres: front 400-12 / rear 450-12 steel-belted
- Suspension: 43# hydraulic with external spring

Sanitation Collection Vehicle

- Vehicle: 3900 x 1480 x 1650 mm
- Cargo box: 2500 x 1400 x 1000 mm
- Drive: 60 V / 1500 W PMSM differential motor
- Controller: 30-tube
- Rear axle: full-floating
- Tyres: front 400-12 / rear 450-12 steel-belted
- Suspension: 43# hydraulic with external spring

Source catalogue values translated to English. Confirm final configuration before ordering.

FUYINGMEN / 2026

SPECIAL-PURPOSE CARGO SERIES

Long-bed and covered working platforms



SCAN TO WHATSAPP

+86 155 8886 9611

15588869611@163.com

3.0 m Factory Reverse-riding Tricycle

- Vehicle: 4500 x 1550 x 1150 mm
- Cargo platform: 3000 x 1500 x 520 mm
- Drive: 60 V / 1500 W PMSM differential motor
- Controller: 30-tube
- Rear axle: full-floating
- Tyres: front 450-12 / rear 500-12 steel-belted
- Suspension: 43# hydraulic with external spring

Shared-bike Dispatch Vehicle

- Vehicle: 4500 x 1600 x 1700 mm
- Cargo box: 3000 x 1500 x 520 mm
- Drive: 60 V / 1500 W PMSM differential motor
- Controller: 30-tube
- Rear axle: full-floating
- Tyres: front 375-12 / rear 400-12 steel-belted
- Suspension: 43# hydraulic with external spring

3.0 m Celebration Vehicle

- Vehicle: 4500 x 1600 x 1700 mm
- Cargo box: 3000 x 1500 x 520 mm
- Drive: 60 V / 1500 W PMSM differential motor
- Controller: 30-tube
- Rear axle: full-floating
- Tyres: front 375-12 / rear 400-12 steel-belted
- Suspension: 43# hydraulic with external spring

Canopy Dump Tricycle

- Vehicle: 3400 x 1450 x 1650 mm
- Cargo box: 1800 x 1350 x 520 mm
- Drive: 60 V / 1500 W PMSM differential motor
- Controller: 30-tube
- Rear axle: full-floating
- Tyres: front 500-12 / rear 450-12 steel-belted
- Suspension: 50# Longbao with external spring

Canopy Electric Cargo Tricycle

- Vehicle: 3800 x 1450 x 1700 mm
- Cargo box: 2200 x 1350 x 520 mm
- Drive: 60 V / 1500 W PMSM differential motor
- Controller: 30-tube
- Rear axle: full-floating
- Tyres: front 500-12 / rear 450-12 steel-belted
- Suspension: 50# Longbao with external spring

FUYINGMEN / 2026

HEAVY CARGO & CAB SERIES

Long-bed, canopy and semi-enclosed models



SCAN TO WHATSAPP

+86 155 8886 9611

15588869611@163.com

2.0 m Heavy Cargo Tricycle

- Vehicle: 3600 x 1450 x 1100 mm
- Cargo box: 2000 x 1350 x 520 mm
- Drive: 72 V / 3000 W flat-wire motor
- Controller: intelligent controller
- Rear axle: full-floating
- Tyres: front 500-12 / rear 500-12 off-road
- Suspension: 50# Longbao with external spring

2.0 m Canopy Heavy Cargo Tricycle

- Vehicle: 3600 x 1450 x 1100 mm
- Cargo box: 2000 x 1350 x 520 mm
- Drive: 72 V / 3000 W flat-wire motor
- Controller: intelligent controller
- Rear axle: full-floating
- Tyres: front 500-12 / rear 500-12 off-road
- Suspension: 50# Longbao with external spring

2.5 m Heavy Cargo Tricycle

- Vehicle: 4200 x 1450 x 1100 mm
- Cargo box: 2500 x 1350 mm; height to confirm
- Drive: 72 V / 3000 W flat-wire motor
- Controller: intelligent controller
- Rear axle: full-floating
- Tyres: front 500-12 / rear 500-12 off-road
- Suspension: 50# Longbao with external spring

1.5 m Semi-enclosed Cargo Tricycle

- Vehicle: 3000 x 1070 x 1700 mm
- Cargo box: 1510 x 1010 x 450 mm
- Vehicle mass: 270 kg
- Drive: 60 V / 1000 W PMSM differential motor
- Controller: large 18-tube dual-row
- Suspension: semi-enclosed model type
- Tyres: front 375-12 / rear 400-12 steel-belted

1.6 m Semi-enclosed Cargo Tricycle

- Vehicle: 3150 x 1380 x 1700 mm
- Cargo box: 1610 x 1100 x 450 mm
- Vehicle mass: 285 kg
- Drive: 60 V / 1000 W PMSM differential motor
- Controller: large 18-tube dual-row
- Suspension: semi-enclosed model type
- Tyres: front 375-12 / rear 400-12 steel-belted

Multi-purpose Food Service Vehicle

- Vehicle: 3050 x 1480 x 2200 mm
- Cargo box: 2000 x 1400 x 1900 mm
- Drive: 60 V / 1200 W PMSM differential motor
- Controller: 24-tube dual-row
- Suspension: 37# hydraulic with external spring
- Tyres: front 400-12 / rear 400-12 steel-belted

Source catalogue values translated to English. Confirm final configuration before ordering.

FUYINGMEN / 2026

SANITATION & UTILITY SERIES

Compact vehicles for property and municipal work



FFD-H9 Ride-on Dust Mop Vehicle

- Vehicle: 1550 x 650 x 1150 mm
- Mop width: 1000 mm
- Vehicle mass: 115 kg
- Drive: 48 V / 500 W
- Controller: multifunction 9-tube
- Suspension: integrated hydraulic
- Tyres: front 275-8 / rear 300-8
- Equipment: moulded shell, impact-return front mop, electric mop lift, spray system, soft start, electromagnetic brake, widened mop

Three-wheel Sanitation Vehicle

- Vehicle: 2550 x 900 x 1200 mm
- Container: 500 L one-piece PP plastic body
- Vehicle mass: 150 kg
- Drive: 48 V / 500 W
- Controller: 12-tube
- Suspension: integrated hydraulic
- Tyres: Dongyue front 16/25 / rear 14/30
- Equipment: LED headlamp, LCD instrument, 500 L container, electric flashing warning lamp

Two-bin Sanitation Transport Vehicle

- Vehicle: 2700 x 900 x 1400 mm
- Frame: front/rear two-bin rack
- Vehicle mass: 180 kg
- Drive: 48 V / 650 W
- Controller: 15-tube dual-row
- Suspension: 37# hydraulic
- Tyres: Dongyue front 16/25 / rear 14/30
- Equipment: LED headlamp, LCD instrument, integrated tail lamp, linked lifting bracket, rear door

Four-bin Sanitation Transport Vehicle

- Vehicle: 3400 x 1300 x 1400 mm
- Frame: front/rear four-bin rack
- Vehicle mass: 320 kg
- Drive: 60 V / 1200 W
- Controller: 24-tube dual-row
- Suspension: 43# hydraulic with external spring
- Tyres: Dongyue front 375-12 / rear 375-12
- Equipment: LED headlamp, LCD instrument, integrated tail lamp, side doors

SCAN TO WHATSAPP

+86 155 8886 9611

15588869611@163.com

Source catalogue values translated to English. Confirm final configuration before ordering.